
ASTRAPIA®
SINCE 2010

AUREON

ARCHITECTURAL ALUMINIUM



A new dimension of living.

AN ASTRAPIA COLLECTION

2026



THE ASTRAPIA

SIGNATURE

2010

ESTABLISHED

Different material. The same ambition.

Aureon brings architectural aluminium into the Astrapia world. A collection of sliding, casement, folding and mesh systems shaped around the character of each opening.

Aureon brings a new material expression to Astrapia, a brand established in windows and doors since 2010.

THE COLLECTION

SEVEN EXPRESSIONS.

01 Forma 25 — 05
SLIDING

02 Vista 27 — 08
SLIDING

03 Panorama 29 — 11
SLIDING

04 Contour 40 — 15
CASEMENT / FRAMING

05 Contour 50 — 18
CASEMENT / DOORS

06 Accord 50 — 21
SLIDE & FOLD

07 Veil — 23
PLEATED MESH

THE COMPLETE PICTURE

Finishes 26 / Configurations 27-28
Selection 29 / Project planning 30
The Aureon experience 31 / Contact 32



THE SLIDING COLLECTION

THE VIEW, UNINTERRUPTED.

Forma 25 / Vista 27 / Panorama 29

AUREON



SLIDING SYSTEM

FORMA 25

Elegance in the everyday.

25 mm


SYSTEM SPECIFICATION

Shutter depth	25 mm
Glass range	5-8 mm
2-track depth	72 mm
3-track depth	145 mm
Maximum window height	1,600 mm
Locking	Single & multipoint, with handle
Corner detail	90° cut with SS screw
Finishes	Powder / wood / anodizing
Hardware / wool pile	Standard hardware

PROFILE LIBRARY / 01


FORMA 25

SECTION CODES & DIMENSIONS




Section: 2551

- 2 Track Top/Bottom
- Weight Kg./mtr : 1.180
- Perimeter : 551.58




Section: 2552

- 3 Track Top/Bottom
- Weight Kg./mtr : 1.669
- Perimeter : 789.87




Section: 2553

- 2 Track Vertical Frame
- Weight Kg./mtr : 0.883
- Perimeter : 418.02




Section: 2554

- 3 Track Vertical Frame
- Weight Kg./mtr : 1.205
- Perimeter : 526.42




Section: 2555

- SGU Vertical Sash
- Weight Kg./mtr : 0.810
- Perimeter : 422.48




Section: 2556

- Top/Bottom Sash
- Weight Kg./mtr : 0.668
- Perimeter : 339.52



Section: 2558

- KPA/Reinforced Interlock
- Weight Kg./mtr : 1.091
- Perimeter : 441.64




Section: 2559

- Slim Interlock
- Weight Kg./mtr : 0.533
- Perimeter : 255.61


PROFILE LIBRARY / 02

FORMA 25


SECTION CODES & DIMENSIONS



Section: 25701D
- 27MM Mesh Sash
- Weight Kg./mtr : 0.813
- Perimeter : 418.53




Section: 25702D
- 27MM Mesh Interlock
- Weight Kg./mtr : 0.470
- Perimeter : 230.14



Section: 25703D
- 27MM Mesh Mullion
- Weight Kg./mtr : 0.734
- Perimeter : 345.25



Section: 25704D
- Vertical Frame Additional Clip
- Weight Kg./mtr : 0.145
- Perimeter : 86.22




Section: 25901D
- Mesh Clip
- Weight Kg./mtr : 0.090
- Perimeter : 48.94



Section: 25701T
- Rail Track
- Weight Kg./mtr : 0.147
- Perimeter : 52.91

SYSTEM SECTIONS



AUREON

SLIDING SYSTEM

VISTA 27

A considered view.



27 mm


SYSTEM SPECIFICATION

Shutter depth	27 mm
Glass	4-6 mm / DGU
2-track depth	50 mm
3-track depth	88 mm
Maximum window height	2,400 mm
Locking	Single point
Corner detail	45° cut with corner connector
Sealing	Wool pile
Finishes	Powder / wood / anodizing
Hardware / wool pile	Standard hardware


PROFILE LIBRARY / 01

VISTA 27


SECTION CODES & DIMENSIONS




Section: 2701
- 27MM 2 Track Top & Bottom Frame
- Weight Kg./mtr : 1.250
- Perimeter : 581.56




Section: 2702
- 27MM 2 Track Vertical Frame
- Weight Kg./mtr : 1.837
- Perimeter : 559.96




Section: 2703
- 27MM 3 Track Top & Bottom Frame
- Weight Kg./mtr : 1.837
- Perimeter : 821.06




Section: 2704
- 27MM 3 Track Vertical Frame
- Weight Kg./mtr : 1.553
- Perimeter : 738.89




Section: 2705
- 27MM Pleated Mesh Top & Bottom Frame
- Weight Kg./mtr : 1.843
- Perimeter : 870.86




Section: 2706
- 27MM Vertical Frame Cap
- Weight Kg./mtr : 0.124
- Perimeter : 93.69




Section: 2707
- 27MM SGU Vertical Sash
- Weight Kg./mtr : 0.981
- Perimeter : 417.52



Section: 2708
- 27MM Top & Bottom Sash
- Weight Kg./mtr : 0.753
- Perimeter: 376.76



Section: 2709
- 27MM Meeting Section Sash
- Weight Kg./mtr : 1.571
- Perimeter : 573.23




Section: 2710
- 27MM Corner Free Sash
- Weight Kg./mtr : 1.250
- Perimeter : 469.42


PROFILE LIBRARY / 02

VISTA 27


SECTION CODES & DIMENSIONS




Section: 2711
- 27MM Slim Interlock
- Weight Kg./mtr : 0.608
- Perimeter : 255.40




Section: 2712
- 27MM KPA / Reinforced Interlock
- Weight Kg./mtr : 1.166
- Perimeter : 441.61




Section: 2713
- 27MM Pleated Mesh Interlock
- Weight Kg./mtr : 1.326
- Perimeter : 417.32




Section: 25701D
- 27MM Mesh Sash
- Weight Kg./mtr : 0.813
- Perimeter : 418.53




Section: 25702D
- 27MM Mesh Interlock
- Weight Kg./mtr : 0.470
- Perimeter : 230.14



Section: 25703D
- 27MM Mesh Mullion
- Weight Kg./mtr : 0.734
- Perimeter : 345.25




Section: 25704D
- 27MM additional clip
- Weight Kg./mtr : 0.145
- Perimeter : 86.22



Section: 25701T
- Rail Track
- Weight Kg./mtr : 0.147
- Perimeter : 52.91

SYSTEM SECTIONS





AUREON

SLIDING SYSTEM

PANORAMA 29

Room for a wider outlook.

29 mm


SYSTEM SPECIFICATION

Shutter depth	29 mm
Glass range	5-20 mm
Sightline with shutter	104 mm
2-track depth	80 mm
3-track depth	115.8 mm
Maximum window height	3,000 mm
Locking	Single & multipoint, with handle
Corner detail	45° / 90° cut, corner connector
Sealing overlap	8 mm, wool pile
Finishes	Powder / wood / anodizing
Hardware / wool pile	Standard hardware

PROFILE LIBRARY / 01


PANORAMA 29

SECTION CODES & DIMENSIONS




Section: 2901

- 2 Track Top / Bottom Frame
- Weight Kg./mtr : 1.678
- Perimeter : 776.47




Section: 2902

- 3 track Top / Bottom Frame
- Weight Kg./mtr : 2.372
- Perimeter : 1096.57




Section: 2903

- 2 Track Vertical Frame
- Weight Kg./mtr : 1.130
- Perimeter : 524.66




Section: 2904

- 3 Track Vertical Frame
- Weight Kg./mtr : 1.513
- Perimeter : 682.53




Section: 2905

- DGU Vertical Sash
- Weight Kg./mtr : 0.804
- Perimeter : 428.10




Section: 2906

- SGU Vertical Sash
- Weight Kg./mtr : 0.883
- Perimeter : 472.62



Section: 2908

- SGU Top / Bottom Sash
- Weight Kg./mtr : 0.935
- Perimeter : 416.86




Section: 2909

- DGU Slim Interlock
- Weight Kg./mtr : 0.500
- Perimeter : 224.79


PROFILE LIBRARY / 02

PANORAMA 29


SECTION CODES & DIMENSIONS



Section: 2910
- DGU KPA / Reinforced Interlock
- Weight Kg./mtr : 1.125
- Perimeter : 447.23



Section: 2912
- SGU Slim Interlock
- Weight Kg./mtr : 0.560
- Perimeter : 269.16



Section: 2913
- SGU KPA / Reinforced Interlock
- Weight Kg./mtr : 1.067
- Perimeter : 451.95



Section: 2917
- Meeting Section
- Weight Kg./mtr : 0.427
- Perimeter : 163.43




Section: 2918
- Rail Track
- Weight Kg./mtr : 0.191
- Perimeter : 80.51



Section: 2919
- Reducer
- Weight Kg./mtr : 0.246
- Perimeter : 142.52




Section: 2920
- Vertical Frame Additional Clip
- Weight Kg./mtr : 0.216
- Perimeter : 98.60



Section: 25901D
- Mesh Clip
- Weight Kg./mtr : 0.090
- Perimeter : 48.94

SYSTEM SECTIONS





THE CASEMENT COLLECTION

EVERY LINE. CONSIDERED.

Contour 40 / Contour 50



AUREON

CASEMENT & FRAMING SYSTEM

CONTOUR 40

Definition in every detail.

40 mm


SYSTEM SPECIFICATION

Shutter depth	40 mm
Glass range	5-28 mm
Openable sightline	76.4 mm
Fixed sightline	40 mm
Maximum window height	1,650 mm
Locking	Single & multipoint
Corner detail	45° cut with connector
Sealing overlap	6 mm, gasket
Finishes	Powder / wood / anodizing
Hardware	Standard hardware

PROFILE LIBRARY / 01


CONTOUR 40

SECTION CODES & DIMENSIONS




Section: 4001

- 40MM Frame
- Weight Kg./mtr : 0.593
- Perimeter : 316.45




Section: 4002

- 40MM Small Mullion
- Weight Kg./mtr : 0.657
- Perimeter : 373.42




Section: 4005

- 40MM Big Sash
- Weight Kg./mtr : 0.870
- Perimeter : 457.89




Section: 4006

- 40MM 2 in 1 Frame With Grill
- Weight Kg./mtr : 1.186
- Perimeter : 574.60



Section: 4007

- 80MM 2 in 1 Mullion
- Weight Kg./mtr : 1.389
- Perimeter : 714.33




Section: 4008

- 40MM 3 in 1 Frame With Grill
- Weight Kg./mtr : 1.470
- Perimeter : 763.31


PROFILE LIBRARY / 02

CONTOUR 40

SECTION CODES & DIMENSIONS




Section: 4009
- 92MM 3 in 1 Mullion
- Weight Kg./mtr : 1.498
- Perimeter : 770.36




Section: 4011
- Fly Mullion
- Weight Kg./mtr : 0.662
- Perimeter : 366.89



Section: 4012
- SGU Clip
- Weight Kg./mtr : 0.208
- Perimeter : 152.65





Section: 4013
- DGU Clip
- Weight Kg./mtr : 0.180
- Perimeter : 137.52



Section: 4015
- 40MM Bottom Clip
- Weight Kg./mtr : 0.305
- Perimeter : 175.87

SYSTEM SECTIONS







AUREON

CASEMENT & DOOR SYSTEM

CONTOUR 50

Presence, beautifully framed.

50 mm


SYSTEM SPECIFICATION

Shutter depth	50 mm
Glass range	5-38 mm
Openable sightline	97.5 mm
Fixed sightline	46 mm
Height options	2,100 / 3,600 mm
Locking	Single & multipoint, with handle
Corner detail	45° cut with corner connector
Sealing overlap	6 mm, gasket
Hardware	Standard hardware

PROFILE LIBRARY / 01


CONTOUR 50

SECTION CODES & DIMENSIONS




Section: 5001

- 50MM Window Frame
- Weight Kg./mtr : 0.867
- Perimeter : 392.29




Section: 5002

- 50MM Door Frame
- Weight Kg./mtr : 1.133
- Perimeter : 504.62




Section: 5003

- 50X65MM Mullion
- Weight Kg./mtr : 1.002
- Perimeter : 474.30




Section: 5004

- 50X90MM Mullion
- Weight Kg./mtr : 1.235
- Perimeter : 566.23



Section: 5005

- Door Bottom Adapter
- Weight Kg./mtr : 0.523
- Perimeter : 265.06




Section: 5006

- 50MM Inside Opening Door Sash
- Weight Kg./mtr : 1.540
- Perimeter : 670.57


PROFILE LIBRARY / 02

CONTOUR 50


SECTION CODES & DIMENSIONS



Section: 5007
- 50MM Outside Opening Door Sash
- Weight Kg./mtr : 1.402
- Perimeter : 678.14




Section: 5008
- 50MM Window Sash
- Weight Kg./mtr : 1.137
- Perimeter : 568.32



Section: 5012
- 50MM Fly Mullion
- Weight Kg./mtr :0.701
- Perimeter : 337.02



Section: 5013
- 50MM SGU Clip (4MM-10MM)
- Weight Kg./mtr :0.372
- Perimeter : 186.89




Section: 5014
- Reverse Clip / Adapter
- Weight Kg./mtr : 0.560
- Perimeter : 262.71



Section: 5015
- 50MM DGU Clip (18MM-24MM)
- Weight Kg./mtr : 0.260
- Perimeter : 159.51

SYSTEM SECTIONS





THE FOLDING COLLECTION

BEYOND THE THRESHOLD.

Accord 50 / Slide & fold


SLIDE & FOLD

ACCORD 50


A folding system for rooms that connect with terraces, courtyards and open-air living.

Frame thickness	1.4-2.5 mm
Glass thickness	4-12 mm
Panel width	Up to 1,200 mm
Panel height	Up to 3,000 mm


PROFILE LIBRARY




Section: 5051
- Top Guide
- Weight Kg./mtr : 2.540




Section: 5052
- Shutter
- Weight Kg./mtr : 1.1338




Section: 5053
- Bottom
- Weight Kg./mtr : 0.901



Section: 5054
- Frame
- Weight Kg./mtr : 1.229



Section: 5055
- SGU Glass Clip
- Weight Kg./mtr : 0.300



Section: 5056
- DGU Glass Clip
- Weight Kg./mtr : 0.265



PLEATED MESH SYSTEMS


A LIGHTER BOUNDARY.

Pleated insect screening. Compact stacking. A considered connection to the outdoors.


PLEATED MESH / PROFILE LIBRARY

VEIL


26 MM GROUP




Section: 1371
• Name: Top Profile



Section: 1372
• Name: Pull Rod




Section: 1373
• Name: Bottom Profile



Section: 1374
• Name: Fix Rail


SYSTEM SECTIONS




PLEATED MESH / PROFILE LIBRARY

VEIL


33 MM GROUP




B Fix Rail
- Code 1402




S Fix Rail
- Code 1403




Top Profile
- Code 1404




Bottom Profiles
- Code 1405



Outside Profile
- Code 1406




MalePull rod
- Code 1407



Female Pull rod
- Code 1408

SYSTEM SECTIONS





MATERIAL / FINISH

METAL.
WITH PRESENCE.

THREE FINISH DIRECTIONS


Powder	An architectural colour expression.
Wood effect	Warmth with a textured visual character.
Anodized	A distinct metallic surface expression.

CONFIGURATION GUIDE


CHOOSE YOUR OPENING.

Sliding and mesh configurations.


3 TRACK - 6 SHUTTER




2 TRACK - 3 SHUTTER (X-2X-X)




2 TRACK - 4 SHUTTER




2 TRACK - 2 SHUTTER




3 TRACK - 3 SHUTTER




3 TRACK - 4 SHUTTER
+2 MESH SHUTTER



3 TRACK - 2 SHUTTER
+1 MESH SHUTTER



3 TRACK - 3 SHUTTER
+2 MESH SHUTTER




CONFIGURATION GUIDE


COMPOSE THE ELEVATION.

Sliding configurations with lower fixed lights.


3 TRACK - 6 SHUTTER




2 TRACK - 3 SHUTTER (X-2X-X)




2 TRACK - 4 SHUTTER




2 TRACK - 2 SHUTTER




3 TRACK - 3 SHUTTER




+2 MESH SHUTTER



+1 MESH SHUTTER



+2 MESH SHUTTER



AT A GLANCE

FIND YOUR SYSTEM.

Compare the Aureon collection. Dimensions in millimetres.

Series	Type	Glass	Height
Forma 25	Sliding	5-8	1,600
Vista 27	Sliding	4-6 / DGU	2,400
Panorama 29	Sliding	5-20	3,000
Contour 40	Casement	5-28	1,650
Contour 50	Casement	5-38	2,100 / 3,600
Accord 50	Slide & fold	4-12	3,000 panel
Veil	Mesh	N/A	Project-specific

A complete assembly.

Height, width, glass weight, hardware, loading and installation must be considered together.



YOUR PROJECT / OUR CONVERSATION

FROM VISION TO OPENING.

01	Measure	Share the opening dimensions, location and the way the space will be used.
02	Select	Choose the system, glazing, hardware, mesh and finish together.
03	Resolve	Confirm drawings, structural support, drainage and installation details.
04	Create	Proceed from the approved specification to manufacture and installation.



ASTRAPIA®
SINCE 2010

AUREON

THE AUREON EXPERIENCE

OPEN TO POSSIBILITY.

From intimate rooms to expansive living spaces, discover an opening that belongs to your architecture.

ASTRAPIA®
SINCE 2010



AUREON

AN ASTRAPIA COLLECTION

LET US FRAME YOUR NEXT SPACE.

080 6940 9604

+91 80889 24107

www.astrapia.in

sales@astrapia.net

Head Office: #38, Nanjappa Layout, Somashettihalli,
Bengaluru - 560090